



Wheat pedigree and MAGIC population resources for genetics informed breeding

Nick Fradgley

nick.fradgley@niab.com

@nickfradgley 🔰






 How has wheat genetic variation been used in the past?
How can genetic variation be more efficiently utilised for breeding?




The pedigree of UK wheat






Worldwide wheat pedigree in progress...



Pedigrees useful for research –tracking gene inheritance




NIAB




Selection simulations over the pedigree


- Subset pedigree all within known genepool
- Compare observed vs simulated using 100 simulations



Evidence for breeders selection: Markers under **NAB** selection



Fradgley et al. (2019) PLOS Biology



The NIAB MAGIC Diverse population

(Multi-parent Advanced Generation Inter-Crossing)

16 founders (1935 – 2004) capture >90% of UK wheat genetic diversity


16 Founders inter-crossed over 4 rounds of crossing IAB


598 inbred lines from 16-way families




- Sequencing founders: >1 million SNPs
- Low coverage sequencing on lines to impute from founders with a 99.6% call rate













Open access resources

 Download pedigree and genotype data from NIAB website https://www.niab.com/pages/id/501/UK Wheat varieties Pedigree

NIAB MAGIC resources
<u>https://www.niab.com/MAGIC/</u>

 View pedigree in Helium software from JHI <u>https://github.com/cardinalb/helium-docs/wiki/Download-Helium</u>



Acknowledgements





Alison Bentley (PhD Supervisor)

Keith Gardner (PhD Supervisor)

Richard Mott

Michael Scott

James Cockram

Ian Mackay

Rob Jackson

Phil Howell





Matt Kerton (PhD Supervisor)

Nik Cunniffe (PhD Supervisor)





